


Cattell's
INDUSTRIAL FOOTWEAR
011 363 3363

CELEBRATING 60+ YEARS AS YOUR SAFETY FOOTWEAR SPECIALIST

2024 CATALOGUE

21ST EDITION

www.cattells.co.za

T | 011 363 3363 C | 083 283 1460 (Emergency Afterhours Number)
E | orders@cattells.co.za A | Unit No 3 - 5 Enterprise Industrial Park, 138 Butler Rd, Nuffield, Springs
GPS: S 26 17' 29.7" E 28 27' 17.4" | Directions Take the N17 to Springs, take exit 157 that says Springs, Wit Rd and Nigel. At the T-junction turn left over the Toll Rd through a traffic light,over a railway bridge at the next intersection turn left into Butler Rd and we are on the right.

CAT · SiSi SAFETY FOOTWEAR · REBEL SAFETY GEAR · FRAMS Affordable safety you can trust · PROFIT SAFETY FOOTWEAR · WAYNE YOUR SYMBOL OF CONFIDENCE · LEMAITRE · BOVA

BOVA

FALL ARREST

CALL US FOR MORE INFORMATION REGARDING HARNESSES

STANDARD HARNESS: DOUBLE LEG LANYARD WITH SCAFFOLDING HOOKS
HARD01220



ONE SIZE FITS ALL

STANDARDS:
SANS 50354 | EN 354 • SANS 50355 | EN 355
SANS 50361 | EN 361 • EN 362

FEATURES:
- Adjustable leg & chest straps
- Shock absorbing lanyard

MATERIALS:
Harness Webbing: 45mm UV-resistant polyester webbing with a minimum breaking load of 2,6 tonnes
Lanyard Webbing: 45mm UV-resistant polyester webbing with a minimum breaking load of 2,6 tonnes
Lanyard length: 1 750mm when shock absorber is intact - 3 450mm when shock absorber is fully deployed
Buckles: Interlocking, corrosion-resistant steel buckles with a minimum breaking force of 18kN
Hooks: Corrosion-resistant steel scaffolding hooks with 50mm gate opening

AVAILABLE WITH STANDING STEP: HARN01260

AGILIS HARNESS
HARN40000



SIZING: S | M | L | XL

STANDARDS:
SANS 50361 | EN 361 • SANS 50358 | EN 358

FEATURES:
- 4 attachment points: Chest & dorsal D-ring with work positioning D-rings
- Adjustable leg, waist, shoulder & chest straps
- Padded waist
- Standing step

MATERIALS:
Harness Webbing: 45mm UV-Resistant polyester webbing with a minimum breaking load of 2,6 tonnes
Padding: 5mm laminated foam to spread pressure over a larger area
Buckles: Interlocking, corrosion-resistant steel buckles with a minimum breaking force of 18kN

ARC HARNESS
HARN70000



SIZING: S | M | L | XL

STANDARDS:
SANS 50358 | EN 358 • SANS 50361 | EN 361
ASDM F887-13 | ATPV 40Cal/cm²

FEATURES:
- 4 Aluminium attachment points: Chest & dorsal D-ring with work positioning D-rings
- Adjustable Aluminium quick-release buckles on the leg, waist and abdominal area with adjustable Aluminium buckles on the shoulder and back straps
- Padding in the leg, waist, & shoulder areas
- All attachment points, adjustments & padding are covered in full grain leather

MATERIALS:
Harness Webbing: Fire retardant & ARC flash rated, 45mm Para-aramid/Meta-aramid blended webbing
Padding: 5mm laminated foam encased in full grain leather
Buckles: Aluminium corrosion-resistant quick-release buckles with a minimum breaking force of 18kN
D-Ring: Corrosion-resistant Aluminium D-rings with a min. breaking strength of 22kN

GORDIAN HARNESS
HARN50000



SIZING: S | M | L | XL

STANDARDS:
SANS 50361 | EN 361 • SANS 50358 | EN 358
SANS 50813 | EN 813

FEATURES:
- 5 attachment points: Front waist, chest & dorsal D-ring with work positioning D-rings & Gear loops
- Adjustable leg, waist, shoulder & back straps
- Padding in the leg & waist areas

MATERIALS:
Harness Webbing: 45mm UV-resistant polyester webbing with a minimum breaking load of 2,6 tonnes
Padding: 5mm laminated foam to spread pressure over a larger area
Buckles: Interlocking, corrosion-resistant steel buckles with a minimum breaking force of 18kN
Front Connector: Steel screw gate carabiner with a minimum breaking strength of 25kN

SPARK HARNESS
HARN60000



SIZING: S | M | L | XL

STANDARDS:
SANS 50361 | EN 361 • SANS 50358 | EN 358

FEATURES:
- 4 attachment points: Chest & dorsal D-ring with work positioning D-rings
- Adjustable leg, waist, shoulder & chest straps
- Padded waist
- Standing step

MATERIALS:
Harness Webbing: 45mm UV-Resistant polyester webbing with a minimum breaking load of 2,6 tonnes
Padding: 5mm laminated foam to spread pressure over a larger area
Buckles: Interlocking, corrosion-resistant steel buckles with a minimum breaking force of 18kN

LANYARDS

Double Leg Lanyard LANY01220



SIZING: 1750mm
STANDARDS:
SANS 50354 | EN 354
SANS 50355 | EN 355
EN 362
FEATURES:
Double leg with scaff hooks
Single leg with snap hook
Shock absorber

Adjustable Double Leg Lanyard LANY01420



SIZING: 1750mm
STANDARDS:
SANS 50354 | EN 354
SANS 50355 | EN 355
EN 362
FEATURES:
Adjustable double leg with scaff hooks
Single leg with screw gate carabiner
Shock absorber

Elasticated Double Leg Lanyard LANY01620



SIZING: 1750mm
STANDARDS:
SANS 50354 | EN 354
SANS 50355 | EN 355
EN 362
FEATURES:
Elasticated single leg with scaff hook
Single leg with snap hook
Shock absorber

BOVA

FOOTWEAR

THE TRAX RANGE: BUILT TO LAST

The timeless, **Classic Trax Range** Returns

THE ORIGINAL TRAX IS BACK!

We heard you! You've asked for it and now its back. Re-introducing the Original Trax Range by popular demand! The original and loved Trax collection is back. Designed with the rugged outdoors in mind, the Trax range boasts a wide-fitting, chunky and durable sole unit that can handle the toughest terrains while providing the all-day superior comfort that earned Trax its following.



MUNICH 20002

Size	Colour	Accreditations
5-13	Black	SANS/ISO 20345 NRCS/9002/287766/0161

TOE CAP: Steel - Extra-wide Fitting
SOLE: Dual Density PU/PU (Heat resistant up to 95°C)
MIDSOLE: SMS available (20702)



BREMEN 20001

Size	Colour	Accreditations
5-13	Black	SANS/ISO 20345 NRCS/9002/287766/0162

TOE CAP: Steel - Extra-wide Fitting
SOLE: Dual Density PU/PU (Heat resistant up to 95°C)
MIDSOLE: SMS available (20701)



HIKER 20013

Size	Colour	Accreditations
3-13	Black & Walnut (MTO)	SANS/ISO 20345 NRCS/9002/287766/0146

TOE CAP: Steel - Extra-wide Fitting
SOLE: Dual Density PU/PU (Heat resistant up to 95°C)
MIDSOLE: Shank reinforcement for arch support

EXTREMEWEAR

PU/RUBBER

FIREWALK B-42003 ♂

Anti-shock Safety Boot

ELECTRICAL RESISTANCE TO 20 KVA FOR 60 SECONDS (ESKOM SPEC 34-232) · NON CONDUCTIVE



Sizes: 4-13
Colour: Black

- Dual Density PU/Rubber sole
- Steel toe cap
- Heat-resistant up to 300˚C
- Full Grain Leather upper
- Non-conductive

SANS / ISO 20345 NRCS/9002/287766/0134
APT MIDSOLE AVAILABLE (44603 - NRCS9002/287766/0454)

EXTREMEWEAR

PU/RUBBER

WELDERS B-42004 ♂

Welders Safety Boot

NON CONDUCTIVE · WITH SPAT COVERING



Sizes: 4-13
Colour: Black

- Dual Density PU/Rubber sole
- Steel toe cap
- Heat-resistant up to 300˚C
- Full Grain Leather upper
- Spat covering with stainless steel buckles
- Non-conductive

SANS / ISO 20345 NRCS/9002/287766/0135

EXTREMEWEAR

PU/RUBBER

ROCNA B-43601 ♂

Extreme Slip Safety Shoe

ELECTRICAL RESISTANCE TO 20 KVA FOR 60 SECONDS (ESKOM SPEC 34-232) · ERGONOMIC DESIGN APPROVED BY A PODIATRIST · NON CONDUCTIVE · SRC SLIP RESISTANCE RATING



Sizes: 4-13
Colour: Black

- Dual Density PU/Vibram Rubber sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 300˚C
- Full Grain Waxy Leather upper
- Anti-penetration in-sock
- Non-conductive
- Approved by the Podiatry Association of South Africa

EXTREMEWEAR

PU/RUBBER

DROGUE B-43602 ♂

Extreme Slip Safety Boot

ELECTRICAL RESISTANCE TO 20 KVA FOR 60 SECONDS (ESKOM SPEC 34-232) · ERGONOMIC DESIGN APPROVED BY A PODIATRIST · NON CONDUCTIVE · SRC SLIP RESISTANCE RATING



Sizes: 4-13
Colour: Black

- Dual Density PU/Vibram Rubber sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 300˚C
- Full Grain Waxy Leather upper
- Anti-penetration in-sock
- Non-conductive
- Approved by the Podiatry Association of South Africa

SANS / ISO 20345 NRCS/9002/287766/0437

EXTREMEWEAR

PU/RUBBER

NEBULA B-43603 ♂

Extreme Slip Safety Boot

ELECTRICAL RESISTANCE TO 20 KVA FOR 60 SECONDS (ESKOM SPEC 34-232) · ERGONOMIC DESIGN APPROVED BY A PODIATRIST · NON CONDUCTIVE · SRC SLIP RESISTANCE RATING



Sizes: 4-13
Colour: Brown

- Dual Density PU/Vibram Rubber sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 300˚C
- Full Grain Leather upper
- Anti-penetration in-sock
- Non-conductive
- Approved by the Podiatry Association of South Africa

SANS / ISO 20345 NRCS/9002/287766/0487

EXTREMEWEAR

RUBBER/RUBBER

BASALT B-7142 ♂

Safety Boot

ERGONOMIC DESIGN APPROVED BY A PODIATRIST · SRC SLIP RESISTANCE RATING · 100% WATERPROOF RESISTANT SOLE · 300˚C DIRECT & RADIANT HEAT RESISTANCE



Sizes: 4-14
Colour: Black

- Dual Compound Rubber/ Rubber sole
- Steel toe cap
- Heat-resistant up to 300˚C
- Full Grain Leather upper
- Elastic side gussets for ease of entering and exiting the boot
- Anti-static

SANS / ISO 20345 NRCS/9002/287766/0448

HEAVYWEAR

CORE RANGE

RADICAL B-60001 ♂

Durable Safety Shoe

ANTI-STATIC



Sizes: 4-13
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Genuine Split Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0165

HEAVYWEAR

CORE RANGE

MAVERICK B-60002 ♂

Durable Safety Boot

ANTI-STATIC



Sizes: 4-13
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Genuine Split Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0171
SMS AVAILABLE (60702 - NRCS/9002/287766/0290)

HEAVYWEAR

CORE RANGE

NEOGRIP B-90005 ♂

Durable Safety Shoe

ANTI-STATIC



Sizes: 5-13
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0117
SMS AVAILABLE (90705 - NRCS/9002/287766/0434)

HEAVYWEAR

CORE RANGE

NEOFLEX B-90004 ♂

Durable Safety Boot

ANTI-STATIC



Sizes: 3-15
Colour: Black & Tan

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0055
SMS AVAILABLE (90704 - NRCS/9002/287766/0433)

HEAVYWEAR

CORE RANGE

TRAINER B-60012 ♂

Durable Safety Shoe

ANTI-STATIC



Sizes: 4-12
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Full Grain Leather upper
- Anti-static

SANS / ISO 20345 NRCS /9002/287766/0169

HEAVYWEAR

CORE RANGE

CHELSEA B-90006 ♂

Durable Safety Boot

ANTI-STATIC



Sizes: 3-13
Colour: Black & Brown

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0170

HEAVYWEAR
CORE RANGE

HAMBURG B-90008 ♂

Durable Safety Shoe

ANTI-STATIC



Sizes: 4-12
Colour: Grey

- Dual Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Suede Leather upper
- Anti-static

SANS / ISO 20345 NRCS/9002/287766/0116

LIGHTWEAR
UTILITY RANGE

MULTI B-71441 ♂

Utility Safety Shoe

ANTI-STATIC



Sizes: 5-13
Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Genuine Split Leather upper

SANS / ISO 20345 NRCS/9002/287766/0120

HEAVYWEAR
AKTIV RANGE

ATLANTIS B-30006 ♂

Metal-free Safety Shoe with Comfort Engineering

METAL FREE ANTI-STATIC ERGONOMIC DESIGN APPROVED BY A PODIATRIST



Sizes: 5-12
Colour: Black

- Dual Density PU/PU sole
- Composite toe cap - extra-wide fitting
- Heat-resistant up to 95˚C
- Full Grain Leather upper
- Anti-static
- Approved by the Podiatry Association of South Africa

SANS / ISO 20345 NRCS/9002/287766/0428

LIGHTWEAR
EXECUTIVE RANGE

JARMAN B-70003 ♂

Executive Safety Shoe

ANTI-STATIC



Sizes: 5-12
Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 SANS / ISO NRCS/9002/287766/0409

LIGHTWEAR
UTILITY RANGE

ADAPT B-71442 ♂

Utility Safety Boot

ANTI-STATIC



Sizes: 5-13
Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Genuine Split Leather upper

SANS / ISO 20345 NRCS/9002/287766/0119

HEAVYWEAR
AKTIV RANGE

COLUMBIA B-30005 ♂

Metal-free Safety Boot with Comfort Engineering

METAL FREE ANTI-STATIC ERGONOMIC DESIGN APPROVED BY A PODIATRIST



Sizes: 5-12
Colour: Black

- Dual Density PU/PU sole
- Composite toe cap - extra-wide fitting
- Heat-resistant up to 95˚C
- Full Grain Leather upper
- Anti-static
- Approved by the Podiatry Association of South Africa

SANS / ISO 20345 NRCS/9002/287766/0288

HEAVYWEAR
TRAX RANGE

TAHOE 21021 ♂

Advanced Comfort Safety Shoe

ANTI-STATIC SRC SLIP RESISTANCE RATING ERGONOMIC DESIGN APPROVED BY A PODIATRIST



Sizes: 5-13
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 95˚C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0432

HEAVYWEAR
TRAX RANGE

BREMEN 2.0 B-21001 ♂

Advanced Comfort Safety Shoe

ANTI-STATIC ERGONOMIC DESIGN APPROVED BY A PODIATRIST



Sizes: 5-13
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 95˚C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0446
SMS AVAILABLE (21701 - NRCS/9002/287766/0449)

HEAVYWEAR
TRAX RANGE

HIKER 2.0 21013 ♂

Advanced Comfort Safety Boot

ANTI-STATIC SRC SLIP RESISTANCE RATING ERGONOMIC DESIGN APPROVED BY A PODIATRIST



Sizes: 5-13
Colour: Black and Brown

- Dual Density PU/PU sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 95˚C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0390

HEAVYWEAR
TRAX RANGE

MUNICH 2.0 B-21002 ♂

Advanced Comfort Safety Boot

ANTI-STATIC SRC SLIP RESISTANCE RATING ERGONOMIC DESIGN APPROVED BY A PODIATRIST



Sizes: 5-13
Colour: Black

- Dual Density PU/PU sole
- Steel toe cap - extra-wide fitting
- Heat-resistant up to 95˚C
- Full Grain Leather upper
- Anti-static

EN / ISO 20345 NRCS/9002/287766/0447
SMS AVAILABLE (21702 - NRCS/9002/2877666/0450)

ACCESSORIES



BOVA SAFETY WEAR

BOVA SOX FOR MEN

- Anti-bacterial
- Anti-static
- Available to purchase separately
- Included with footwear where the FREE BOVA SOX logo is shown

ACC13477



BOVA SAFETY WEAR

BOVA FREEZER SOX FOR MEN

- Anti-bacterial
- Anti-static
- Available to purchase separately

ACC13480



BOVA SAFETY WEAR FOOTOLOGY

SMELTERS SOX FOR MEN

- Wool sock
- Anti-bacterial
- Flame retardant
- Moisture wicking
- Recommended for high heat conditions

ACC13672



FOOTOLOGY

FOOTOLOGY SOX UNISEX ANKLET

- Anti-bacterial
- Anti-static
- Sizing : 4-8, 9-12

ACC13567



HAWK STC
8024

LEMAITRE

SOLE: RAPTOR SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BLACK/GREY
SIZES: 5-12

SANS/ISO 20345



EAGLE STC
8025

LEMAITRE

SOLE: RAPTOR SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BLACK/GREY
SIZES: 5-12

SANS/ISO 20345



OSPREY HIKER STC
8038

LEMAITRE

SOLE: RAPTOR SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BLACK OR TAN
SIZES: 5-12

SANS/ISO 20345

FOOTOLOGY
FOOT ACCESSORIES



MAXECO SMS
8011

LEMAITRE

SOLE: MAXECO SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
MIDSOLE: STEEL
COLOUR: BLACK
SIZES: 5-12

SANS/ISO 20345



MAXECO
8031

LEMAITRE

SOLE: MAXECO SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK OR TAN
SIZES: 2-13

SANS/ISO 20345



MAXECO METAGUARD
8061

LEMAITRE

SOLE: MAXECO SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP
COLOUR: BLACK
SIZES: 3-12

SANS/ISO 20345



ROBUST
8102

LEMAITRE

SOLE: MAXECO SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 3-12

SANS/ISO 20345



ZEUS
8115

LEMAITRE

SOLE: GLADIUS SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK OR BROWN
SIZES: 3-13

SANS/ISO 20345

ZEUS SOFT TOE
STYLE NO: 8114



EROS
8088

LEMAITRE

SOLE: GLADIUS SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 5-12

SANS/ISO 20345



TURTLE
8132

LEMAITRE

SOLE: GLADIUS SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 5-12

SANS/ISO 20345



FROM ONE WORKER TO ANOTHER

SOURCED AND MANUFACTURED IN SOUTH AFRICA

CLOG
8009

LEMAITRE

SOLE: APOLLO SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 2-12

SANS/ISO 20345

FOOTOLOGY



SPORT
8050

LEMAITRE

SOLE: APOLLO SOLE UNIT
TOE CAP: WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 2-12

SANS/ISO 20345

FOOTOLOGY



TITANIUM
4033

LEMAITRE

SOLE: RAPTOR SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BLACK OR TAN
SIZES: 4 - 13

SANS/ISO 20345

TITANIUM STC
STYLE NO: 4003
COLOUR: BLACK OR BROWN
SIZES: 4-13



NOMAD
8001

LEMAITRE

SOLE: PARABOLIC SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 5-12

SANS/ISO 20345



QUEST
8002

LEMAITRE

SOLE: PARABOLIC SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BLACK
SIZES: 5-12



CONCORD SHOE
8020

LEMAITRE

SOLE: PARABOLIC SOLE UNIT
TOE CAP: EXTRA WIDE STEEL TOE CAP 200J
COLOUR: BROWN
SIZES: 5-12

SANS/ISO 20345

FOOTOLOGY



FROM ONE WORKER TO ANOTHER

SOURCED AND MANUFACTURED IN SOUTH AFRICA

BBF SAFETY GROUP

A **SAFETY WEAR** RANGE THAT IS **COMFORTABLE, HIGH QUALITY** AND MADE FOR WOMEN



Sydney / 51005

Full grain leather I PU Sole I Size: 3-8

Comfort, movement and quality products. Women in the agricultural industry are exposed to a lot of movement,bending and lifting while working. SiSi products are specifically designed for women, making sure that female workers are protected and comfortable at all times.

Quality features:

- Full Grain leather
- Footwear shaped for women
- Padded footwear for enhanced comfort.

SiSi SAFETY WEAR

FOOTWEAR

SINGLE DENSITY RANGE

VENICE S-51002



Sizes: 3-8

Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Full Grain Leather upper
- Anti-static

SINGLE DENSITY RANGE

PARIS S-51003



Sizes: 3-8

Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Full Grain Leather upper with elastic side gussets
- Anti-static

DOUBLE DENSITY RANGE

JENNIFER S-55005



Sizes: 3-8

Colour: Black with Pink trim

- Double Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Full Grain Leather upper
- Anti-static

DOUBLE DENSITY RANGE

REESE S-55006



Sizes: 3-8

Colour: Black with Pink trim

- Double Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Full Grain Leather upper
- Anti-static

SINGLE DENSITY RANGE

SYDNEY S-51005



Sizes: 3-8

Colour: Brown

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Full Grain Leather upper with pull straps
- Anti-static

SINGLE DENSITY RANGE

SYDNEY S-51005



Sizes: 3-8

Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Full Grain Leather upper with pull straps
- Anti-static

DOUBLE DENSITY RANGE

NICOLE S-54001



Sizes: 2-9

Colour: Black

- Double Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Full Grain Leather upper
- Anti-static

DOUBLE DENSITY RANGE

CATE S-54002



Sizes: 2-9

Colour: Black

- Double Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Full Grain Leather upper
- Anti-static

DOUBLE DENSITY RANGE

BASI S-54092



Sizes: 2-9

Colour: Black

- Double Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Full Grain Leather upper
- Anti-static

Please contact our knowledgeable staff on

011-363-3363

for more details on any of our products or email us

orders@Cattells.co.za

SINGLE DENSITY RANGE

COURT S-53001



Sizes: 2-9

Colour: Black

- Single Density PU/PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Full Grain Leather upper
- Anti-static

SINGLE DENSITY RANGE

OPAL S-53003



Sizes: 2-9

Colour: Black

- Single Density PU sole
- Steel toe cap
- Heat-resistant up to 95˚C
- Full Grain Leather upper
- Anti-static



FRAMS

CHELSEA FR-10006

Features:
Size Range: 4 - 12
Colour: Black
Sole: Single Density PU sole
Heat Resistance: Up to 95˚ Celsius
Upper: Genuine Leather – Haircell
Accreditation: EN/ISO 20345



FRAMS

ECONO-TUFF FR-4555

Features:
Size Range: 4 – 13
Colour: Black
Sole: PU Sole
Heat Resistance: Up to 95˚ Celsius
Upper: Genuine Leather - Barton Print
Accreditation: EN/ISO 20345



FRAMS

PUMBA FR-8401

Features:
Size Range: 3 – 12
Colour: Black
Sole: Generic PU Dual Density Sole
Heat Resistance: Up to 95˚ Celsius
Upper: Genuine Leather- Barton Print
Tongue: Full Bellow's Tongue
Accreditation: EN 20345



FRAMS

ADDO FR-8402

Features:
Size Range: 3 – 12
Colour: Black
Sole: Generic PU Dual Density Sole
Heat Resistance: Up to 95˚ Celsius
Upper: Genuine Leather- Barton Print
Tongue: Full Bellow's Tongue
Accreditation: EN 20345



FRAMS

GEO-TREAD FR-2911


Features:
Size Range: 4 - 12
Colour: Black
Sole: Frams Level 2 PU Dual Density Sole
Heat Resistance: Up to 95˚ Celsius
Upper: Genuine Leather - Barton Print
Tongue: Gibson Style
Accreditation: SANS/ISO 20345



FRAMS

GEO-TREK FR-4911

Features:
Size Range: 4 – 13
Colour: Black
Sole: Frams Level 2 PU Dual Density Sole
Heat Resistance: Up to 95˚ Celsius
Upper: Genuine Leather - Barton Print
Tongue: Full Bellow's Tongue
Accreditation: SANS/ISO 20345



* All styles are Steel Toe Cap

SCARLET P-LS01

BLACK LADIES SAFETY BOOT
with lightweight, SRC non-slip sole

Size 2-9 Ladies



CHARLOTTE P-LS02

BLACK LADIES SAFETY SHOE
with lightweight, SRC non-slip sole

Size 2-9 Ladies



BLACK GOLIATH 2 P-JS04-2

HIGH BLACK HIKER BOOT
with extra Ankle protection and speed lacing

Size 5-13 Unisex



* All styles are Steel Toe Cap

ALL WHEEL DRIVE P-AS01

BLACK SAFETY SNEAKER
with Scuff Resistant Leather Upper

Size 2-15 Unisex



SILK P-LS05

LIGHTWEIGHT LADIES SLIP ON SAFETY SHOE
with lightweight, SRC super non-slip sole

Size 2-9 Ladies



SUN P-LS07

LIGHTWEIGHT LADIES SLIP ON CHELSEA
with lightweight, SRC super non-slip sole

Size 2-9 Ladies



ASSASSIN P-JS06

BROWN CHELSEA BOOT
Slip on with Oily Waxy Leather

Size 2-15 Unisex



BAGHEERA P-JS07

BLACK CHELSEA BOOT
Slip on with Oily Waxy Leather

Size 2-15 Unisex



PARSON P-JS01 S1 *NEW

BLACK SAFETY BOOT
with Steel Midsole or Non Metallic Toe Cap and Midsole

Size 2-15 Unisex



LYNX P-JS02

BLACK SAFETY SHOE
with penetration resistant Steel Midsole

Size 2-15 Unisex



FLAME P-JS10

ARC FLASH RESISTANT SAFETY BOOT
with anti-puncture material midsole & 300deg heat resistant sole

Size 5-15 Mens



TERRAPIN P-MR02

METAGUARD CHELSEA BOOT
with anti-puncture material midsole & 300deg heat resistant sole

Size 5-15 Mens



HOBO P-JS03 BOOT

BLACK ECONO SAFETY BOOT
with Genuine Leather and Dual Density PU

Size 2-15 Unisex



HOBO P-JS03 SHOE

BLACK ECONO SAFETY SHOE
with Genuine Leather and Dual Density PU

Size 2-15 Unisex



GOLIATH P-JS04

BLACK HIKER BOOT
with super flexible sole and easy lacing

Size 2-15 Unisex



TARANTULA P-JS05 BOOT

BLACK WEATHERPROOF BOOT
with 300deg heat resistant sole

Size 2-15 Unisex





AFRICA'S HARDEST WORKING BOOTS

www.rebelsafetygear.com

CODE R-128B | **SIZES** 3-14

KONTRAKTA BOOT

Affordable work boot



SB

Features
200J steel toe cap

CODE R-128S | **SIZES** 3-13

KONTRAKTA SHOE

Affordable work shoe



SB

Features
200J steel toe cap

CODE R-FX2 S1P | **SIZES** 2-14

FX2-S1P BOOT

General purpose work boot



S1P

Features
Steel midsole for anti-penetration

CODE R-FX2 Shoe | **SIZES** 2-13

FX2-SHOE

General purpose work shoe



S1P

Features
Unisex – starts from a size 2

CODE RE436BK | **SIZES** 3-13

APEX BOOT

Non-metallic heat resistant S3 boot



S3

Features
Heat resistant up to 300°C | S3 water resistant leather and anti-penetration protection, while also non-metallic

CODE RE22107 | **SIZES** 2-8

LADIES RUGGED BOOT

Ladies S3 Rugged non-metallic boot



S3

Features
Water resistant | Non-Metallic high-density mesh for anti-penetration | Heat resistant up to 300°C

CODE R-FX2 | **SIZES** 3-13

CHELSEA BOOT

Chelsea work boot with anti-penetration



S1P *Available in brown*

Features
Steel midsole for anti-penetration

CODE R-811 | **SIZES** 2-16

CHUKKA BOOT

The iconic work boot



S1 *Available in brown*

Features
Hi-viz reflective strip | Thermoplastic polyurethane (TPU) toe bumper for added scuff protection

CODE R-380 | **SIZES** 2-14

CHUKKA SHOE

The iconic work shoe



S1

Features

Hi-viz reflective strip | Thermoplastic polyurethane (TPU) toe bumper for added scuff protection

CODE R-304 | **SIZES** 3-13

HIKER HI

Superior work boot



S1 *Available in black*

Features

Adventure and outdoor styling

CODE R-303 | **SIZES** 3-13

HIKER LO

Superior work shoe



S1

Features

Adventure and outdoor styling

CODE R-0808 | **SIZES** 4-13

ENDUROMAX

Sport styled safety shoe



S1

Features

Sole is heat resistant up to 300° | Electrostatic discharge (ESD)

CODE R-942 | **SIZES** 5-13

LIGHT INDUSTRIAL

Lightweight and stylish safety shoe



S1

Features

EVA midsole | Electrostatic discharge (ESD)

CODE R-316 | **SIZES** 4-13

DYNAPRO

Super-stylish Flex-Mesh safety shoe



S1

Features

Non-metallic toe cap | Thermoplastic polyurethane (TPU) toe bumper for added scuff protection

CODE R-424 | **SIZES** 4-13

EXPEDITION HI

High performance outdoor styled safety boot



S3 *Available in brown*

Features

Water resistant upper | Steel midsole for anti-penetration | Adventure and outdoor styling

CODE R-425 | **SIZES** 4-13

EXPEDITION LO

High performance outdoor styled safety shoe



S3

Features

Water resistant upper | Steel midsole for anti-penetration | Adventure and outdoor styling

CODE R-203 | **SIZES** 4-13

CLASSIC SHOE

Classic styled formal work shoe



S1

Features

200J steel toe cap

CODE R-652 | **SIZES** 2-14

CRAZY HORSE

Stylish work boot with supreme comfort



S1P *Available in black & tan*

Features

Outsole is heat resistant up to 300° | Ultra-thick outsole with REBEL Platinum footbed (memory foam) providing maximum comfort | Steel midsole for anti-penetration

CODE R-420 | **SIZES** 4-13

HI TOP BOOT

Trendy sneaker styled safety boot



S1 *Available in black*

Features

200J steel toe cap

CODE R-429 | **SIZES** 4-13

LO TOP SAFETY SHOE

Trendy sneaker styled safety shoe



S1 *Available in black*

Features

Electrostatic discharge (ESD)



CODE R-911 | **SIZES** 3-15

HAWK

Close quarter combat work boot

S3

Features

Heavy duty canvas has water resistant coating which allows breathability and quick drying | Quick release concealed YKK side zip | Steel midsole for anti-penetration



CODE R-5072 | **SIZES** 4-14

THERMOTRAK

Heat resistant work boot

S1

Features

Outsole is heat resistant up to 300° | Built-in metatarsal spat to protect against splashes and welding sparks

SMALL (2-5)
MEDIUM (6-9)
LARGE (10-13+)



CODE R-VOS | **SIZES** 2-13+

OVERSHOE

Unisex safety visitor overshoe

Features

Velcro adjustable strap and lightweight, unisex design | SRC anti-slip design, durable and flexible rubber sole



CODE REBFB-02 | **SIZES** 2-14

PLATINUM FOOTBED

Features

As for the standard footbed; plus extra comfort | Poron® insert is used worldwide for general orthopaedic problems



CODE R-941 | **SIZES** 2-8

LIGHT INDUSTRIAL

Lightweight and stylish safety shoe

S1

Features

EVA midsole | Outsole is heat resistant up to 120° | Electrostatic discharge (ESD)



CODE R-974 | **SIZES** 2-8

ZARI

Ladies safety shoe with Velcro strap

S1

Features

200J steel toe cap



SIZES 28-48

TECH GEAR TROUSERS

Ultra durable technical trousers

DESERT DUST, CODE R-TRDD
GUN METAL, CODE R-TRGM
RAVEN BLACK, CODE R-TRBK

Features

Poly-cotton canvas is a cotton fabric with a high-density polyester thread weaved into it, making it easier to care for and more | Seven custom utility pockets



CODE R-TGAB | **SIZES** 28-48

TECH GEAR TROUSER – AIR FORCE BLUE

Ultra durable technical trousers



Features

Flame retardant and acid resistant, making it ideal for applications like welding and acid environments | Seven custom utility pockets



CODE R-940 | **SIZES** 2-8

THULI

Ladies chelsea safety boot

S1

Features

Heat resistant up to 120°



CODE R-683 | **SIZES** 2-8

KITO

Ladies slip-on safety shoe

S1

Features

200J steel toe cap



SIZES 28-48

TECH GEAR SHORTS

Ultra durable technical trousers

DESERT DUST, CODE R-SHDD
GUN METAL, CODE R-SHGM

Features

Poly-cotton canvas is a cotton fabric with a high-density polyester thread weaved into it, making it easier to care for and more | Seven custom utility pockets

YOU NEED TO FOCUS.
LET THE PROPANE TAKE CARE OF THE REST



M-11 PROPANE 2.0 ST
BLACK OR BROWN FULL GRAIN LEATHER
- STEEL TOE CAP
- DURABLE RUBBER SOLE + SRX FOR EXTREME SLIP RESISTANCE

SIZES 6 - 12

THE PROPANE

CATFOOTWEAR.CO.ZA

[WORK PRODUCT]
SOUTH AFRICA

CAT



M-03 ABBY ST — LADIES
TAN WATERPROOF NUBUCK
- STEEL TOE CAP
- DURABLE RUBBER OUTSOLE

SIZES 3 - 8



M-18 FRAMEWORK ST
WP NUBUCK LEATHER
- STEEL TOE CAP
- DURABLE RUBBER OUTSOLE

SIZES 6 - 12



M-04 MAE ST — LADIES
WP FULL GRAIN LEATHER
- STEEL TOE CAP
- DURABLE RUBBER OUTSOLE

SIZES 3 - 8



M-19 PNEUMATIC 2.0 ST
WP FULL GRAIN LEATHER
- STEEL TOE CAP
- DURABLE RUBBER OUTSOLE + SRX FOR EXTREME SLIP RESISTANCE

SIZES 6 - 12



M-14 DIAGNOSTIC 2.0 ST
WP FULL GRAIN LEATHER
- STEEL TOE CAP
- DURABLE RUBBER OUTSOLE + SRX FOR EXTREME SLIP RESISTANCE

SIZES 6 - 12



M-28 STRIVER BUMP ST
FULL GRAIN LEATHER
- STEEL TOE CAP
- DUAL DENSITY PU SOLE

SIZES 6 - 12



M-17 CROSSRAIL 2.0 CT
FULL GRAIN LEATHER
- COMPOSITE TOE
- DURABLE RUBBER OUTSOLE + SRX FOR EXTREME SLIP RESISTANCE


SIZES 6 - 12



M-30 IMPACT HIKER WP
WP FULL GRAIN LEATHER
- CARBON COMPOSITE TOE
- DURABLE RUBBER OUTSOLE + SRX FOR EXTREME SLIP RESISTANCE

SIZES 6 - 12

© 2023. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Yellow", the "Power Edge" and Cat "Modern Hex" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission. Cat and Caterpillar are registered trademarks of Caterpillar Inc. DISTRIBUTOR is an authorized distributor of the following licensees of Caterpillar Inc.: SRI Apparel Limited, Wolverine World wide, inc. and Grown Up Licenses APS.



Egoli 1
W-1270
Sizes 3 - 14
Steel toe cap
Available In Non Steel Toe Cap W-1260

Ankle Miner Lace Up
W-1860
Sizes 5 – 12
Steel toe cap

Gripper
W-1210
Sizes 3 – 12
Steel toe cap

For 80 years and counting, WAYNE has focused on what we do best – gumboots, and gumboots only – allowing us to become pioneers in our industry, delivering consistently excellent and innovatively designed gumboots that are manufactured from world-class materials and components.

WAYNE

www.wayne-safety.com



WAYNE

Duralight Ladies 1 W-1661
(Without STC)

Size range: 3 - 8
Upper: PVC
Sole: PVC
Colours: Black upper / Black sole

PVC



WAYNE

Egoli 1 W-1270
(STC)

Size range: 3 - 14
Upper: PVC uppers
Sole: PVC sole
Colours: Black / Toffee

CE

PVC



WAYNE

Men's Chelsea HD W-1506
(STC)

Size range: 3 - 13
Upper: PVC upper
Sole: PVC / Nitrile sole
Colours: Black upper / Toffee sole

PVC



WAYNE

Duralight Men's 1 W-1040
(Without STC)

Size range: 5 - 12
Upper: PVC upper
Sole: PVC sole
Colours: Black upper / Black sole

Made with recycled material

PVC



WAYNE

Duralight Ladies 2 W-1681
(Without STC)

SABS APPROVED

PVC

Size range: 3 - 8
Upper: PVC / Nitrile upper
Sole: PVC / Nitrile sole
Colours: White upper / Red sole



WAYNE

Duralight Men's 2 W-1030
(Without STC)

SABS APPROVED

PVC

Size range: 5 - 12
Upper: PVC / Nitrile upper
Sole: PVC / Nitrile sole
Colours: White upper / Red sole

Soft Toe Styles



BRONX

Bronx Chunky J-7363

Colours: **Black only**

- Soft toe
- Sizes: **6 - 12**

BRONX

Gatz Parabellum D-10001

Colours: **Black leather**

- Soft toe
- Sizes: **5 - 12**

SABS SAN 421

Fully Goodyear Welted construction

- Full Grain Leather upper
- 100% Rubber Parabellum sole
- Breathable lining



SS | 9681

www.cattells.co.za

T | 011 363 3363 C | 083 283 1460 (Emergency Afterhours Number)
E | orders@cattells.co.za A | Unit No 3 - 5 Enterprise Industrial Park, 138 Butler Rd, Nuffield, Springs
GPS: S 26 17' 29.7" E 28 27' 17.4" | Directions Take the N17 to Springs, take exit 157 that says Springs, Wit Rd and Nigel. At the T-junction turn left over the Toll Rd through a traffic light,over a railway bridge at the next intersection turn left into Butler Rd and we are on the right.

CAT SiSi REBEL FRAMS PROFIT WAYNE LEMAITRE BOVA